

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	("6807595" "6412045").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 10:14
S2	131	(determin\$5 detect\$3 sens\$3) near5 (state activ\$5) with (file adj system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 14:08
S3	52	(determin\$5 detect\$3 sens\$3) near5 (activ\$5) with (file adj system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 13:59
S4	10	("20020045961" "5608698" "5617386" "5712949" "5740143" "5822288" "5870710" "6332175" "6377530" "6801964").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/24 13:55
S5	79	S2 not S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 14:07
S6	614	buffer\$3 with writ\$3 same file adj2 system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 14:08
S7	221	(determin\$5 detect\$3 sens\$3 check\$3) near5 (state status) with (file adj2 system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 14:12
S8	13	S6 and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 14:09
S9	79	(determin\$5 detect\$3 sens\$3 check\$3) near5 (activ\$5) with (file adj2 system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 14:15
S10	27	S9 not S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 14:13
S11	104	(determin\$5 detect\$3 sens\$3 check\$3) near5 (up on) with (file adj2 system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 14:21
S12	162	(determin\$5 detect\$3 sens\$3 check\$3) near5 (availab\$5) with (file adj2 system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 14:18
S13	18	S12 same (state status)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 14:17

S14	409	(determin\$5 detect\$3 sens\$3 check\$3) near5 (read\$5) with (file adj2 system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 14:18
S15	8	(determin\$5 detect\$3 sens\$3 check\$3) near5 (ready) with (file adj2 system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 14:19
S17	4	(determin\$5 detect\$3 sens\$3 check\$3 verify\$3 validat\$3) near5 before near3 writ\$3 with (file adj2 system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 14:21
S18	4	(determin\$5 detect\$3 sens\$3 check\$3 verify\$3 validat\$3) near5 (before prior) near3 writ\$3 with (file adj2 system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 14:22
S19	2039	buffer\$3 with until near5 (available activ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 14:25
S20	139	buffer\$3 near3 writ\$3 with until near5 (available activ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 14:25
S21	2	buffer\$3 near3 writ\$3 with until near5 (available activ\$5) near5 file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 14:26
S22	15	buffer\$3 near3 writ\$3 with until near5 (available activ\$5) same (state status)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 14:46
S23	8	("6715054" "6243817" "6049879" "5734894").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 14:47
S24	4586	writ\$3 with buffer\$3 with (activ\$5 on ready)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/20 09:03
S25	1529	writ\$3 with buffer\$3 with (activ\$5 on ready) with (file memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/20 09:04
S26	409	writ\$3 with buffer\$3 with (activ\$5 on ready) near3 (file memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/20 09:04
S27	267	writ\$3 near5 buffer\$3 with (activ\$5 on ready) near3 (file memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/20 09:05

S28	203	writ\$3 adj5 buffer\$3 with (activ\$5 on ready) near3 (file memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/20 09:05
S29	152	writ\$3 adj3 buffer\$3 with (activ\$5 on ready) near3 (file memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/20 09:05
S30	48	writ\$3 adj3 buffer\$3 adj5 (activ\$5 on ready) near3 (file memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/20 09:07
S31	5798	(if determin\$5 indicat\$3) near5 (activ\$5 on ready) near5 (file memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/20 11:27
S32	135	S31 same writ\$3 with buffer\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/20 09:08
S34	31	S32 and overwrit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/20 09:08
S35	650	(if determin\$5 indicat\$3) near5 (activ\$5 on ready) near5 (file memory) with writ\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/20 09:33
S36	64	S35 same buffer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/20 09:46
S37	81	S35 same buffer\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/20 09:46
S38	17	S37 not S36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/20 10:04
S39	1	S35 same file adj2 type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/20 10:05
S40	8	S35 same read adj2 only	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/20 10:07
S41	114	read adj2 only same file adj2 type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/20 10:17

S42	578	buffer\$3 adj5 until adj5 (ready on activat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/20 10:17
S43	29	buffer\$3 near3 writ\$3 adj5 until adj5 (ready on activat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/20 10:57
S44	0	flash adj2 memory same S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/20 10:57
S45	37	flash adj2 memory and S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/20 11:19
S46	2	"6535949".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/20 11:19
S47	1716	(if determin\$5 indicat\$3) adj5 (file memory) adj5 (activ\$5 on ready)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/20 11:27
S48	389	S47 same writ\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/20 11:27
S49	62	S47 same writ\$3 same buffer\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/20 11:43
S50	1	(prevent\$3 prohibit\$3) near3 writ\$3 near5 until adj3 (ready on activat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/20 11:44
S51	1	(prevent\$3 prohibit\$3) near3 writ\$3 with until adj3 (ready on activat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/20 11:44
S52	2	(prevent\$3 prohibit\$3) near3 writ\$3 with until adj5 (ready on activat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/20 11:44
S53	1070	buffer\$3 with until adj5 (ready on activat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/20 11:45
S54	38	buffer\$3 near3 writ\$3 with until adj5 (ready on activat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/20 11:45

S55	18	led same speed near5 usb	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 08:02
S56	2	led same rate near5 usb	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 09:47
S57	24	led same rate near5 cable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 09:49
S58	156	led same speed with cable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 09:49
S59	429	led with (speed rate) near5 transmi\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 09:50
S60	2	led with (speed rate) near5 transmi\$5 same usb	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 09:50
S61	8	led with (speed rate) near5 transmi\$5 same cable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 09:52
S62	195	led with (speed rate) near5 transmi\$5 same (full low high)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 09:53
S63	6	led with (speed rate) near5 transmi\$5 and usb	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 09:52
S64	161	led with (speed rate) near5 transmi\$5 with (full low high)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 09:54
S65	3	led with indicat\$3 near5 (speed rate) near5 transmi\$5 with (full low high)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 09:54
S66	62	led near5 (speed rate) near5 transmi\$5 near5 (full low high)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 09:55
S67	78	dis\$1 near5 (access\$3 read\$3 writ\$3) near5 buffer same (sleep idle)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 09:52

S68	2	"5734927".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 09:48
S69	29	dis\$1 near5 (access\$3 read\$3 writ\$3) near5 buffer with (sleep idle)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 11:21
S71	73306	write adj2 operation\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 11:22
S72	1409	buffer\$3 near3 write adj2 operation\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 11:22
S73	73	buffer\$3 near3 write adj2 operation\$1 with dis\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 11:31
S74	36	buffer\$3 near3 write adj2 request\$1 with dis\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 15:15
S75	6315	determin\$5 near3 (state mode) with (prior before)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 16:11
S76	60	determin\$5 near3 (state mode) with (prior before) near5 (activat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 15:47
S77	8	determin\$5 near3 (battery) with (prior before) near5 (activat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 15:53
S78	8	check\$5 near3 (battery) with (prior before) near5 (activat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 15:55
S79	26	check\$5 near3 (state mode) with (prior before) near5 (activat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 15:58
S80	136	power adj2 (state mode) with (prior before) near5 (activat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 15:58
S81	2	power adj2 (state mode) with (prior before) near5 check\$3 near3 (activat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 16:08

S82	2	power adj2 (state mode) with (prior before) near5 determin\$5 near3 (activat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 15:59
S83	1	power adj2 (state mode) with (prior before) near5 determin\$5 near3 (availab\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 16:03
S84	5817	power adj2 (state mode) near5 system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 16:05
S85	330	S84 same dis\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 16:05
S86	2	S84 same dis\$1 near3 ready	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 16:06
S87	2	S84 same dis\$1 near3 availab\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 16:07
S88	13	power adj2 (state mode) with (prior before) near5 writ\$3 near3 dis\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 16:08
S89	89	determin\$5 near3 (state mode) with (prior before) adj5 writ\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 16:12
S90	79	determin\$5 near3 (state mode) with (prior before) adj3 writ\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 16:16
S91	26	power adj2 (state mode) with (prior before) adj3 writ\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 17:14
S92	6	buffer\$3 near3 writ\$3 near5 dis\$1 near5 spin\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 17:17
S93	17	buffer\$3 near3 writ\$3 near5 dis\$1 near5 ready	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 17:19
S94	2	buffer\$3 near3 access\$3 near5 dis\$1 near5 ready	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 17:20

S95	7	buffer\$3 near3 access\$3 near5 dis\$1 near5 available	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 17:20
S96	31	buffer\$3 near3 writ\$3 near5 dis\$1 near5 available	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 17:21
S97	1	buffer\$3 near3 writ\$3 near5 dis\$1 near5 spun\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 17:22
S98	1	buffer\$3 near5 until near5 dis\$1 near5 activated	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 17:23
S99	67	buffer\$3 near5 until near5 dis\$1 near5 ready	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 17:23
S100	2	buffer\$3 near5 until near5 dis\$1 near5 spin\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 17:23
S101	2	("4984103").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 09:39
S102	72	reduc\$4 near5 dis\$1 near3 access\$3 with buffer\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 14:42
S103	10	intermedia\$3 adj2 file near2 driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 16:03
S104	0	user near5 flush\$3 near3 buffer near3 dis\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 16:07
S105	40	user near5 flush\$3 near3 buffer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 16:20
S106	1	user near3 command\$3 near5 flush\$3 near3 buffer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 16:17
S107	3	user near3 command\$3 near5 buffer near5 dis\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 16:19

S108	99	flush\$3 near5 buffer near5 dis\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 16:19
S109	81	user near5 flush\$3 near3 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 16:20
S110	22	user near5 flush\$3 near3 cache near5 dis\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 16:20
S111	2	("6195744").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 08:26
S112	188	updat\$3 near3 (buffer cache) with writ\$3 near3 dis\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 08:28
S113	2	updat\$3 near3 (buffer cache) near5 previous with writ\$3 near3 dis\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 08:39
S114	6	updat\$3 near3 (buffer cache) same wait\$3 near5 writ\$3 near3 dis\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 08:44
S115	12	updat\$3 near3 (buffer cache) same until near5 writ\$3 near3 dis\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 08:41
S117	0	writ\$3 near3 dis\$1 with (before prior) near3 (standby idle)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 09:28
S118	0	writ\$3 near3 dis\$1 with (before prior) near3 deactivat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 09:29
S119	12	writ\$3 near3 dis\$1 with (before prior) near3 off	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 09:32
S120	11	writ\$3 near3 dis\$1 with (before prior) near3 (idl\$3 down)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 09:51
S121	1985	battery with standby adj2 (mode state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 09:52

S12 2	23	S121 same dis\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 13:06
S12 3	4	user with dis\$1 near5 timeout	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 13:07
S12 4	368	user with dis\$1 near5 parameter\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 13:07
S12 5	5	user with dis\$1 near5 operating adj2 parameter\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 14:03
S12 6	4	("5452277" "5412519").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 15:06
S12 7	40	read\$3 near3 superset	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 15:10
S12 8	396	read\$3 near3 entire\$2 near2 file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 15:17
S12 9	3	S128 same battery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 15:12
S13 0	3	S128 same power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 15:17
S13 1	5	S128 same low	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 15:13
S13 2	51	cach\$3 near3 entire\$2 near2 file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 15:14
S13 3	1299	read\$3 near5 file same power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 15:18
S13 4	15	read\$3 near5 file with cache same power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 15:21

S13 5	112	read\$3 near5 file same battery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 15:21
S13 6	35	read\$3 near5 file with battery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 15:27
S13 7	227	read\$3 near5 dis\$1 with battery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 15:28
S13 8	4	read\$3 near5 dis\$1 with battery adj2 (state mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 15:31
S13 9	78	dis\$1 with battery adj2 (state mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 15:37
S14 0	13	read near3 ahead same battery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 15:41
S14 1	50	read adj2 ahead same power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 16:14
S14 2	6	read adj2 ahead with power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 15:41
S14 3	735	determin\$5 near5 battery adj2 (mode state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 16:31
S14 4	9	S143 and read\$3 near5 dis\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 16:32
S14 5	2	("20020091902").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 09:17
S14 6	2	("6415359").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 10:27
S14 7	95	(separat\$3 divid\$3) near3 file adj2 read\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 10:27

S14 9	15	(separat\$3 divid\$3) near3 file adj2 read\$1 with dis\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 10:31
S15 0	174	(separat\$3 divid\$3) near3 read\$1 near5 request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 10:31
S15 1	28	(separat\$3 divid\$3) near3 read\$1 near5 request\$1 with dis\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 10:31